

SCIENTIFIC LABORATORY FOR THE IDENTIFICATION AND GRADING
OF DIAMOND AND COLORED STONES
EDUCATIONAL PROGRAMS

Expertise issued under license of IGI Antwerp

1/7 Schupstraat, 2018 Antwerp - Belgium Tel. +32 3 401 08 88 - Fax +32 3 232 07 58 Email : info@igi.org

www.igi.org

LABORATORY GROWN DIAMOND REPORT

This report is a statement of the diamond's identity and grade including all relevant information.

NUMBER **LG380999509**

ANTWERP, August 7, 2019

LABORATORY REPORT (ORIGINAL)

TO WHOM IT MAY CONCERN.

DESCRIPTION
SHAPE AND CUT

ELECTRONIC COPY

CARAT WEIGHT COLOR GRADE CLARITY GRADE CUT GRADE

POLISH SYMMETRY

Measurements

Table Size

Crown Height - Angle
Pavilion Depth - Angle

Tavillori Bopiii 7iligio

Girdle Thickness

Culet

Total Depth

FLUORESCENCE

COMMENTS

LASERSCRIBE

LABORATORY GROWN DIAMOND
ROUND BRILLIANT

1.00 CARAT
I
SI 2
GOOD

EXCELLENT
EXCELLENT
6.18 - 6.23 x 4.06 mm
55.5%
17.5% - 38.6°
42.5% - 40.4°
SLIGHTLY THICK TO THICK (FACETED)
POINTED
65.4%

This Chemical Vapor Deposition (CVD) laboratory grown diamond is classified as Type IIa.


LABGROWN IGI LG380999509

NONE

The symbols do not usually reflect the size of the characteristics.

Red symbols indicate internal characteristics.

Green symbols indicate external characteristics.



insignificant **external** details, visible under high magnification only, are not shown



O-m Security features included in this document are hologram, watermarked paper and additional features not listed, that, as a composite, exceed industry security standards.



CLARITY GRADE:	CLARITY GRADE: Internally Flawless				vvs ₁			VVS ₂		VS ₁		VS ₂		SI ₁ S		l ₁	l ₂	l ₃
COLOR GRADE:	D	Е	F	G	Н	1	J	K	L	М	Ν	0	Р	Q	R	S-Z	FANCY C	COLOR

PROPORTIONS - MARGIN: ± 1%
MEASUREMENTS - MARGIN: ± 0.02mm

The laboratory grown diamond described in this report has been graded, tested, analyzed, examined and/or inscribed by International Gemological Institute (IGI), Laboratory grown diamonds are diamond crystals created by scientific means and representing essentially all physical, chemical and optical characteristics of natural diamonds. IGI employs and utilizes those techniques and equipment currently available to IGI including without limitations: DiamondView, DiamondSure, FIIR spectroscopy, UV VIS NIR absorption spectrometer, EDXRF spectroscopy, PL (RAMAN) spectrometers.

This report includes advanced security features. A duly accredited gemologist or jeweler can advise you with respect to the importance of and interrelationable accretional control of the contr

This report is subject to the terms and conditions set forth above and on reverse.

© IGI, 2000, edition 2017

All rights reserved. No part of this report may be reproduced or transmitted in any form or by any means, without permission in writing from International Gemological Institute.