



INTERNATIONAL GEMOLOGICAL INSTITUTE

SCIENTIFIC LABORATORY FOR THE IDENTIFICATION AND GRADING OF DIAMOND AND COLORED STONES
EDUCATIONAL PROGRAMS

Expertise issued under license of IGI Antwerp

1/7 Schupstraat, 2018 Antwerp - Belgium
Tel. +32 3 401 08 88 - Fax +32 3 232 07 58
Email : info@igi.org
www.igi.org

ELECTRONIC COPY

LABORATORY GROWN DIAMOND REPORT

This report is a statement of the diamond's identity and grade including all relevant information.

NUMBER **LG442028184**

ANTWERP, September 10, 2020


LABORATORY REPORT (ORIGINAL)

TO WHOM IT MAY CONCERN

| | |
|-------------------|---|
| DESCRIPTION | LABORATORY GROWN DIAMOND |
| SHAPE AND CUT | OVAL BRILLIANT |
| CARAT WEIGHT | 2.00 CARATS |
| Measurements | 9.64 x 7.41 x 4.37 mm |
| CLARITY GRADE | VS 2 |
| COLOR GRADE | H |
| Fluorescence | NONE |
| FINISH | |
| Polish - Symmetry | EXCELLENT |
| Proportions | VERY GOOD |
| Table Size | 60% |
| Crown Height | 15% |
| Pavilion Depth | 40% |
| Girdle Thickness | THIN TO SLIGHTLY THICK (FACETED) |
| Culet | POINTED |
| Total Depth | 59% |
| COMMENTS | This Laboratory grown diamond was created by chemical vapor deposition process (CVD) Type IIa |
| LASERSCRIBE | LABGROWN IGI LG442028184 |

The symbols do not usually reflect the size of the characteristics.

Red symbols indicate internal characteristics.
Green symbols indicate external characteristics.



Insignificant external details, visible under high magnification only, are not shown



0mm Security features included in this document are hologram, watermarked paper and additional features not listed, that, as a composite, exceed industry security standards.



CLARITY GRADE: Internally Flawless VVS₁ VVS₂ VS₁ VS₂ S₁ S₂ I₁ I₂ I₃

COLOR GRADE: D E F G H I J K L M N O P Q R S-Z FANCY COLOR

PROPORTIONS - MARGIN: ± 1%
MEASUREMENTS - MARGIN: ± 0.02mm

The laboratory grown diamond described in this report has been graded, tested, analyzed, examined and/or inscribed by International Gemological Institute (IGI). Laboratory grown diamonds are diamond crystals created by scientific means and representing essentially all physical, chemical and optical characteristics of natural diamonds. IGI employs and utilizes those techniques and equipment currently available to IGI including without limitations: DiamondView, DiamondSure, FTIR spectroscopy, UV VIS NIR absorption spectrometer, EDXRF spectroscopy, PL (RAMAN) spectrometers. This report includes advanced security features. A duly accredited gemologist or jeweler can advise you with respect to the importance of and interrelationship between cut, color, clarity and carat weight.

THIS REPORT IS NEITHER A GUARANTEE, VALUATION NOR APPRAISAL OF THE LABORATORY GROWN DIAMOND DESCRIBED HEREIN

This report is subject to the terms and conditions set forth above and on reverse.

© IGI, 2000, edition 2017
All rights reserved. No part of this report may be reproduced or transmitted in any form or by any means, without permission in writing from International Gemological Institute.