



INTERNATIONAL
GEMOLOGICAL
INSTITUTE

SCIENTIFIC LABORATORY FOR THE IDENTIFICATION AND GRADING
OF DIAMOND AND COLORED STONES
EDUCATIONAL PROGRAMS

Expertise issued under license of IGI Antwerp

1/7 Schupstraat, 2018 Antwerp - Belgium
Tel. +32 3 401 08 88 - Fax +32 3 232 07 58
Email : info@igi.org
www.igi.org

ELECTRONIC COPY

LABORATORY GROWN
DIAMOND REPORT

This report is a statement of the diamond's identity
and grade including all relevant information.

NUMBER LG425059539 ANTWERP, June 15, 2020

LABORATORY REPORT (ORIGINAL) TO WHOM IT MAY CONCERN

DESCRIPTION
SHAPE AND CUT

LABORATORY GROWN DIAMOND
ROUND BRILLIANT

0.51 CARAT
E
SI 1
EXCELLENT

EXCELLENT
EXCELLENT

Measurements 5.06 - 5.09 x 3.16 mm
Table Size 58.5%
Crown Height - Angle 14.5% - 34.8°
Pavilion Depth - Angle 43.5% - 41.1°
Girdle Thickness MEDIUM TO SLIGHTLY THICK (FACETED)
Culet POINTED
Total Depth 62.1%
FLUORESCENCE NONE


This Laboratory grown diamond was created by
chemical vapor deposition process (CVD)
Type IIa

LABGROWN IGI LG425059539

CARAT WEIGHT
COLOR GRADE
CLARITY GRADE
CUT GRADE

POLISH
SYMMETRY

The symbols do not usually reflect the size of the characteristics.
Red symbols indicate internal characteristics.
Green symbols indicate external characteristics.



Insignificant external details, visible under
high magnification only, are not shown



0-m Security features included in this document are hologram,
watermarked paper and additional features not listed,
that, as a composite, exceed industry security standards.



CLARITY GRADE: Internally Flawless VVS1 VVS2 VS1 VS2 SI1 SI2 I1 I2 I3

COLOR GRADE : D E F G H I J K L M N O P Q R S-Z FANCY COLOR

PROPORTIONS - MARGIN: ± 1%
MEASUREMENTS - MARGIN: ± 0.02mm

The laboratory grown diamond described in this report has been graded, tested, analyzed, examined and/or inscribed by International Gemological Institute (IGI). Laboratory grown diamonds are diamond crystals created by scientific means and representing essentially all physical, chemical and optical characteristics of natural diamonds. IGI employs and utilizes those techniques and equipment currently available to IGI including without limitations: DiamondView, DiamondSure, FTIR spectroscopy, UV VIS NIR absorption spectrometer, EDXRF spectroscopy, PL (RAMAN) spectrometers. This report includes advanced security features. A duly accredited gemologist or jeweler can advise you with respect to the importance of and interrelationship between cut, color, clarity and carat weight.
THIS REPORT IS NEITHER A GUARANTEE, VALUATION NOR APPRAISAL OF THE LABORATORY GROWN DIAMOND DESCRIBED HEREIN
This report is subject to the terms and conditions set forth above and on reverse.
© IGI, 2000, edition 2017
All rights reserved. No part of this report may be reproduced or transmitted in any form or by any means, without permission in writing from International Gemological Institute.